

- Dear Customer,

- We thank you for choosing our product. We are sure that this modern, convenient and practical sink, produced using the highest-quality materials will fully meet all your expectations.

- We ask you to read the instructions in this booklet carefully to get the best results from using your sink, follow the instructions in this booklet.

KEEP THIS PRODUCT'S DOCUMENTS FOR FUTURE REFERENCE

Environmentally Safe Disposal of Packaging

Please dispose of all packaging materials such as cardboard, expanded polystyrene, and plastic sheeting in appropriate bins. This way you can be sure that the packaging materials will be reused.


TOPZERO®




TYPE 1

SINK INSTALLATION INSTRUCTIONS
TOPMOUNT (DROP-IN)


1. Position the sink upside down on the counter and draw around the edge.




2. Remove the sink and draw another line at least 9 mm inside the line you just drew.




3. Using a drill, make a starting hole for the jigsaw and cut along the inside line with the jigsaw.







4. Apply the gasket to the 4 sides of the sink on the underside of the sink where the clips are.



Area to be sealed with the gasket or plumbers puddy


5 Check the corners of the sink and between the countertop from above and attach the clips.





Please do not use any clips other than the clips provided with the product.
Use all the clips.


6 Apply the gasket to the 4 sides of the sink on the underside of the sink where the clips are.





(Countertop Thickness: Maximum 40 mm, minimum 20 mm.)

The equipment you will need.



For thin countertops use a wooden lath. Lath not included.

Included products.

